

ERRATA OF PRODUCT DESCRIPTION FOR CATALOGUE 2024

Page No.	Model	Catalogue 2024 Description	Description
p. 18	Refrigerators 700 l GN 2/1	• (...) Door hinges are also reversible allowing the cabinet to be adapted on-site.	This feature is not available in Avantis cabinets.
p. 19	Refrigerators 1400 l GN 2/1	• (...) Door hinges are also reversible allowing the cabinet to be adapted on-site.	This feature is not available in Avantis cabinets.
p. 20	Freezers 700 l GN 2/1	• (...) Door hinges are also reversible allowing the cabinet to be adapted on-site.	This feature is not available in Avantis cabinets.
p. 21	Freezers 1400 l GN 2/1	• (...) Door hinges are also reversible allowing the cabinet to be adapted on-site.	This feature is not available in Avantis cabinets.
p. 93	Refrigerated counters 700 mm GN 1/1 with sink	• Heavy-duty stainless steel 50 mm working top with a sink bowl of 330x 330x 200 mm (...)	• Heavy-duty stainless steel 50 mm working top with a sink bowl of 305x335x200 mm (...)
p. 101	Freezer counters 700 mm GN 1/1 with sink	• Heavy-duty stainless steel 50 mm working top with a sink bowl of 330x 330x 200 mm (...)	• Heavy-duty stainless steel 50 mm working top with a sink bowl of 305x335x200 mm (...)
p. 104	Refrigerated counters 600 mm with sink	• Heavy-duty stainless steel 50 mm working top with a sink bowl of 330x 330x 200 mm (...)	• Heavy-duty stainless steel 50 mm working top with a sink bowl of 305x335x200 mm (...)
p. 111	Freezer counters 600 mm with sink	• Heavy-duty stainless steel 50 mm working top with a sink bowl of 330x 330x 200 mm (...)	• Heavy-duty stainless steel 50 mm working top with a sink bowl of 305x335x200 mm (...)
p. 132	Solid worktop saladette	• Working temperature of 0°C to +8°C in climate Class IV conditions.	• Working temperature of +2°C to +8°C in climate Class IV conditions.
p. 133	Polyethylene worktop saladette	• Working temperature of 0°C to +8°C in climate Class IV conditions.	• Working temperature of +2°C to +8°C in climate Class IV conditions.
p. 134	Pizza worktop saladette	• Working temperature of 0°C to +8°C in climate Class IV conditions.	• Working temperature of +2°C to +8°C in climate Class IV conditions.
p. 135	Sandwich worktop saladette	• Working temperature of 0°C to +8°C in climate Class IV conditions.	• Working temperature of +2°C to +8°C in climate Class IV conditions.
p. 136	Compact pizza saladette	• Working temperature of 0°C to +8°C in climate Class IV conditions.	• Working temperature of +2°C to +8°C in climate Class IV conditions.
p. 192	GS-510	• Tank capacity: 25 l./Heating power: 5.6 kW. • Boiler capacity: 7 l./Heating power: 2.0 kW.	• Tank capacity: 25 l./Heating power: 2.0 kW. • Boiler capacity: 7 l./Heating power: 5.6 kW.

Shelving plates available in Aluminum Shelving chapter are made from **polypropylene**, not polyethylene. Change applies to items on pages: 228-240.

CHANGES OF OPTIONS FOR CATALOGUE 2024

For models ETPZ-135 HC, ETPZ-180 HC, ETPZ-150 HC, ETPZ-200 HC, ETS-135 HC, ETS-180 HC **frame heater (FH) feature is available as standard.** For model ETS-090 **without splashback (NS) feature is not available.** Changes apply to page 137.

All glasswashers series GE-350, GM-350, and GT-350 **do not have stainless steel washing and rinsing arms (SA) as an option.** Changes of options apply to pages 160, 170, 180, and 200.

ERRATA OF CODES AND TECHNICAL DATA FOR CATALOGUE 2024

Page No.	Model	Catalogue 2024 Reference	Reference	Catalogue 2024 Dimensions	Dimensions
p. 69	FC600	19099979	19097770	19097770	530 x 540 x 100
	ACPP600	19099980	19097771	19097771	600 x 400 x 120
	PB550	19099981	19097758	19097758	550 x 350

2024 | CATALOGUE ERRATA

ERRATA OF CODES FOR CATALOGUE 2024

Page No.	Model	Catalogue 2024 Reference	Reference
p. 69	SGC700	19099984	19010206
	SGC700B	not present	19099967
p. 201	CLV-35	19013867	19104780
	CLV-40	19013868	19104781
	CT-10	19000484	19104783
	CU-7	19000792	19104782

ERRATA OF TECHNICAL DATA FOR CATALOGUE 2024

Page No.	Model	Reference	Catalogue 2024 Annual Energy Consumption (kWh)	Annual Energy Consumption (kWh)
p. 20	ACN-701 R	19086498	2231	2754
	ACN-701 L	19086497	2231	2754

Page No.	Model	Reference	Catalogue 2024 Energy Efficiency Class	Energy Efficiency Class
p. 85	GGTP-7-180-14	19099673	B	A
	GGTP-7-180-06	19099674	B	A
p. 86	GGTN-7-135-20	19097694	E	D
	GGTN-7-135-20 LR	19099679	E	D

Page No.	Model	Reference	Catalogue 2024 Cooling Power (W).	Cooling Power (W).
p. 130	ETPZ-8-200 HC GN 1/3	19097270	593	845
	ETPZ-8-200 HC GN 1/4	19098284	593	845

Page No.	Model	Reference	Catalogue 2024 Door-Drawer No.	Door-Drawer No.
p. 132	ETS-140-14 NS	19104276	2-2	1-4
	ETS-140-22 NS	19104277	1-4	2-2

Page No.	Model	Reference	Catalogue 2024 Cooling Power (W)	Cooling Power (W)	Catalogue 2024 Connection Power (W)	Connection Power (W)
p. 147	PBC-03	19104299	490	565	590	410
	PBC-05	19104360	650	710	1100	550
	PBC-08	19104361	1300	1180	2000	713
	PBC-10	19104362	1300	1620	1300	1426
p. 148	BBC-03	19104352	490	565	590	410
	BBC-05	19104353	650	710	1100	550
	BBC-08	19104354	1300	1180	2000	713
	BBC-10	19104355	1300	1620	1300	1426

Page No.	Model	Reference	Production (kg/cycle) Catalogue 2024		Production (kg/cycle)	
			Refrigeration	Freezing	Refrigeration	Freezing
p. 147	PBC-05	19104360	23	13	18	10
p. 148	BBC-05	19104353	23	13	18	10

Page No.	Model	Catalogue 2024 Tank Power (kW)	Tank Power (kW)
p. 198	GS-150	2.8	2

ERRATA OF PRODUCT DESIGNATION FOR CATALOGUE 2024

Page No.	Model	Reference	Catalogue 2024 Description	Description
p. 69	CDOC01	19098278	Kit door orientation change. Left to right	Kit door orientation change. Right to left
	CDOC02	19098279	Kit door orientation change. Right to left	Kit door orientation change. Left to right

Page No.	Model	Reference	Catalogue 2024 Counter Series	Counter Series
p. 120	S4R	19016846	All counters	All counters except ETP-7-225 & ETP-6-250

Page No.	Model	Reference	Catalogue 2024 Description	Description
p. 120	S4R	19016846	4 castors with diameter 100 mm, 2 with brake for for all Avantis, Green counters	4 castors with diameter 100 mm, 2 with brake for for all Avantis, Green, and Essenzial counters except ETP-7-225 / ETP-6-250 models

Page No.	Model	Reference	Catalogue 2024 For use in	For use in
p. 201	CU-GW	19102721	400 x 400 basket Glasswashers	350 x 350 & 400 x 400 basket Glasswashers



ONNERA POLAND Sp. z o.o.
 Palmiry
 ul. Warszawska 9
 05-152 Czosnów
 Tel: +48 22 312 00 12
exportpoland@asberprofessional.com

ONNERA GROUP
www.onneragroup.com